## In the Claims

Please cancel claims 1-8 and 13-14, and amend the claims as follow:

- 1.-8. Cancelled.
- 9. (Original) An aqueous composition of matter which comprises a first anion having the structure:

wherein one of  $R_1$  and  $R_2$  is a straight chain or branched  $C_1$  to  $C_6$  alkyl group and the remaining  $R_1$  and  $R_2$  is hydrogen; and a different second anion having the structure:

$$\begin{array}{c} R_3 \, R_4 \\ \mid \ \mid \\ \text{HO-CHCH---} \text{SO}_3 \end{array}$$

wherein one of  $R_3$  and  $R_4$  is a straight chain or branched  $C_1$  to  $C_6$  alkyl group and the remaining  $R_3$  and  $R_4$  is hydrogen.

10. (Original) The composition according to claim 9 wherein the  $C_1$  to  $C_6$  alkyl group on the first anion is the same as the  $C_1$  to  $C_6$  alkyl group on the second anion.

- 11. (Original) The composition according to claim 9 wherein water is present in an amount between about 20% and about 90 % by weight based on the total weight of the composition.
- 12. (Original) An aqueous composition of matter which comprises:
  - (i) a first anion having the structure:

$$\begin{array}{c} R_1 R_2 \\ \mid \ \mid \\ \text{HO-CHCH---} \text{SO}_3 \end{array}$$

and (ii) a second anion having the structure:

wherein  $R_1$  is independently selected from the group consisting of: methyl and ethyl;  $R_2$  is hydrogen;  $R_3$  is hydrogen; and  $R_4$  is independently selected from the group consisting of: methyl and ethyl.

- 13. 14. Cancelled.
- 15. (Previously Presented) An ester anion mixture having surfactant properties useful in formulating personal care cleansing products comprising:
  - a) a first ester anion having the structure:

and

b) a different second ester anion having the structure:

in which R is in each occurrence a hydrocarbon group having between about 4 and about 25 carbon atoms, including straight-chain, branched, saturated and unsaturated hydrocarbon groups; one of  $R_1$  and  $R_2$  is an alkyl group selected from the group consisting of:  $C_1$  to  $C_6$  alkyl, and the remaining group  $R_1$  or  $R_2$  which is not  $C_1$  to  $C_6$  alkyl is hydrogen; one of  $R_3$  and  $R_4$  is an alkyl group selected from the group consisting of:  $C_1$  to  $C_6$  alkyl, and the remaining group  $R_3$  or  $R_4$  which is not  $C_1$  to  $C_6$  alkyl is hydrogen.

- 16. (Original) An ester anion mixture having surfactant properties useful in formulating cleansing products which comprises:
  - a) a first ester anion having the structure:

$$\frac{\begin{array}{c|c} R_1 & R_2 \\ & 1 & 1 \end{array}}{\begin{array}{c|c} R_{\text{-COO}} & \text{-CHCH} \end{array}}$$

and

b) a different second ester anion having the structure:

$$\begin{array}{c} \begin{array}{c} R_3 \ R_4 \\ \mid \ \ \mid \end{array} \\ \text{R-COO---CHCH----SO}_3^- \end{array}$$

in which R is any hydrocarbon group having between about 4 and about 25 carbon atoms, including straight-chain, branched, saturated and unsaturated hydrocarbon groups;  $R_1$  is independently selected from the group consisting of: methyl and ethyl;  $R_2$  is hydrogen;  $R_3$  is hydrogen; and  $R_4$  is independently selected from the group consisting of: methyl and ethyl.

- 17. (Previously Presented) A composition of matter useful as a concentrate from which cleansing products may be prepared comprising:
  - a) a first ester anion of an alkylisethionic acid according to the formula:

wherein R is a hydrocarbon group having between about 4 and 25 carbon atoms, including straight-chain, branched, saturated, and unsaturated hydrocarbon groups;  $R_1$  and  $R_2$  may each independently be hydrogen or an alkyl group selected from the group consisting of:  $C_1$  to  $C_6$  alkyl subject to the proviso that both  $R_1$  and  $R_2$  are not simultaneously hydrogen; and

b) at least one member selected from the group consisting of: water, a surfactant and optional ingredient used in preparing the cleansing product; and

c) a different second ester anion having the structure:

in which R is in each occurrence a hydrocarbon group having between about 4 and about 25 carbon atoms, including straight-chain, branched, saturated and unsaturated hydrocarbon groups; one of R<sub>3</sub> and R<sub>4</sub> is an alkyl group selected from the group consisting of: C<sub>1</sub> to C<sub>6</sub> alkyl, and the remaining group R<sub>3</sub> or R<sub>4</sub> which is not C<sub>1</sub> to C<sub>6</sub> alkyl is hydrogen.

- 18. (Previously Presented) A composition of matter from which personal care cleansing products may be prepared which comprises:
  - a) any amount between 99.50 % and 0.25 % of a first component which comprises a first ester anion of an alkylisethionic acid according to the formula:

$$\begin{array}{c|c} & R_1 & R_2 \\ & & 1 \end{array}$$
R-COO — CHCH — SO<sub>3</sub>-

in which R is any hydrocarbon group having between about 4 and about 25 carbon atoms, including straight-chain, branched, saturated, and unsaturated hydrocarbon groups; R<sub>1</sub>

and  $R_2$  may each independently be hydrogen or an alkyl group selected from the group consisting of:  $C_1$  to  $C_6$  alkyl, subject to the proviso that both  $R_1$  and  $R_2$  are not simultaneously hydrogen; and

- b) any amount between 99.75% and 0.50% of a second component comprising one or more members selected from the group consisting of: fatty acids, alkyl sulfates, an ethanolamine, an amine oxide, alkali carbonates, water, ethanol, isopropanol, pine oil, sodium chloride, sodium silicate, polymers, alcohol alkoxylates, zeolites, perborate salts, alkali sulfates, enzymes, hydrotropes, dyes, fragrances, preservatives, brighteners, builders, polyacrylates, essential oils, alkali hydroxides, water-soluble branched alkylbenzene sulfonates, ether sulfates, alkylphenol alkoxylates, fatty acid amides, alpha olefin sulfonates, paraffin sulfonates, betaines, chelating agents, tallowamine ethoxylates, polyetheramine ethoxylates, ethylene oxide/propylene oxide block copolymers, alcohol ethylene oxide/propylene oxide low foam surfactants, methyl ester sulfonates, alkyl polysaccharides, N-methyl glucamides, alkylated sulfonated diphenyl oxide, and polyethylene glycol; and
  - c) a different second ester anion having the structure:

in which R is in each occurrence a hydrocarbon group having between about 4 and about 25 carbon atoms, including straight-chain, branched, saturated and unsaturated hydrocarbon groups; one of R<sub>3</sub> and R<sub>4</sub> is an alkyl group selected from the group

consisting of:  $C_1$  to  $C_6$  alkyl, and the remaining group  $R_3$  or  $R_4$  which is not  $C_1$  to  $C_6$  alkyl is hydrogen.

19. (Previously Presented) A personal care cleanser comprising a first acylalkylisethionate ester having the formula

$$\begin{array}{c|c} R_1 & R_2 \\ & & 1 \end{array}$$
R-COO — CHCH — SO<sub>3</sub> X

wherein R is a hydrocarbon group having between 4 and 25 carbon atoms; R<sub>1</sub> and R<sub>2</sub> are each independently selected from the group consisting of hydrogen and a branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group subject to the proviso that one of R<sub>1</sub> and R<sub>2</sub> is the branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group while the remaining R<sub>1</sub> or R<sub>2</sub> is hydrogen; and X is selected from the group consisting of hydrogen, an alkali metal, an alkaline earth metal, zinc, aluminum, ammonium and ammonium ions substituted with one or more organic groups; and a different second acylalkylisethionate ester having the formula:

$$\begin{array}{c|c} & R_3 & R_4 \\ & & | & \\ R\text{-COO} & --\text{CHCH} ---\text{SO}_3 X \end{array}$$

wherein R is a hydrocarbon group having between 4 and 25 carbon atoms; R<sub>3</sub> and R<sub>4</sub> are each independently selected from the group consisting of hydrogen and a branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group subject to the proviso that one of R<sub>3</sub> and R<sub>4</sub> is the branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group while the remaining R<sub>3</sub> or R<sub>4</sub> is hydrogen; and X is selected from the group consisting of hydrogen, an alkali metal, an alkaline earth metal, zinc, aluminum, ammonium and ammonium ions substituted with one or more organic groups.

- 20. (Original) The personal care cleanser of claim 19 further comprising at least one member selected from the group consisting of: amphoteric surfactant; zwitterionic surfactant; anionic surfactant; nonionic surfactant; cationic surfactant; water and optional ingredient.
- 21. (Previously Presented) A composition of matter comprising:
  - (i) a first acylalkylisethionate ester having the formula:

$$\begin{array}{c} \begin{array}{c} R_1 \ R_2 \\ \mid \ \mid \end{array} \\ \text{R-COO--CHCH----} \text{SO}_3 \text{X} \end{array}$$

wherein R is a hydrocarbon group having between 4 and 25 carbon atoms; R<sub>1</sub> and R<sub>2</sub> are each independently selected from the group consisting of hydrogen and a branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group subject to the proviso that one of R<sub>1</sub> and R<sub>2</sub> is the branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group while the remaining R<sub>1</sub> or R<sub>2</sub> is hydrogen; and X is selected from the group consisting of hydrogen, an alkali metal, an alkaline earth metal, zinc, aluminum, ammonium and ammonium ions substituted with one or more organic groups; and

- (ii) at least one other member selected from the group consisting of: amphoteric surfactant; zwitterionic surfactant; anionic surfactant; nonionic surfactant; cationic surfactant; water and optional ingredient; and
  - (iii) a different second acylalkylisethionate ester having the formula:

wherein R is a hydrocarbon group having between 4 and 25 carbon atoms; R<sub>3</sub> and R<sub>4</sub> are each independently selected from the group consisting of hydrogen and a branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group subject to the proviso that one of R<sub>3</sub> and R<sub>4</sub> is the branched or straight-chain aliphatic C<sub>1</sub> to C<sub>6</sub> alkyl group while the remaining R<sub>3</sub> or R<sub>4</sub> is hydrogen; and X is selected from the group consisting of hydrogen, an alkali metal, an alkaline earth metal, zinc, aluminum, ammonium and ammonium ions substituted with one or more organic groups.

- 22. (Previously Presented) The composition of matter of claim 21 wherein the first acylalkylisethionate ester is present in an amount ranging between about 1% by weight to about 60% by weight.
- 23. (Previously Presented) The composition of matter of claim 21 wherein the composition of matter comprises a shampoo, a baby shampoo, a baby wipe, a children wipe, a make-up remover tissue, a showergel, a foam bath, a liquid soap, a soap bar, a syndet bar, or an acne wash.